


# JIANGSU SELEXIBLE PLASTIC CO., LTD


10 YEARS MANUFACTURING EXPERIENCE



CATALOGUE



**Europe type keel**




**Galvanized clip**



***High transparency***

***Good flexibility***





① Fix the clip in the hole of the curtain



② Fix the keel with screws





③ Hang a soft curtain



④ One by one on the keel

*Only four steps  
Solve the installation*



## STANDARD / TRANSPARENT / CLEAR / COMMON PVC STRIP CURTAINS

Material: PVC

Thickness: 1mm-4mm

Width: 200mm, 300mm, 400mm


Length: 50m or Custom

Temperature range: -20°C to 50°C

Color : Clear blue , Transparent....

Pattern: Plain , Ribbe





## COLD STORAGE / FREEZER / REFRIGERATION PVC STRIP CURTAINS

Material: PVC

Thickness: 1mm-4mm

Width: 200mm, 300mm, 400mm or custom

Length: 50m or Custom

Temperature range: -40°C to 50°C

Color : Transparent , Clear blue , Yellow , Orange and so on

Pattern: Plain , Ribbed



## ANTI-INSECT PVC STRIP CURTAINS

Material: PVC

Thickness: 1mm-4mm

Width: 200mm, 300mm, 400mm

Length: 50m or Custom

Temperature range: -20°C to 50°C

Color : Yellow and Orange color

Pattern: Plain , Ribbed



## WELDING PVC CURTAIN

Material: PVC  
Thickness: 1mm-4mm  
Width: 200mm, 300mm, 400mm  
Length: 50m or Custom  
Temperature range: -20°C to 50°C  
Color : Red , Black , Gray and so on  
Pattern: Plain , Ribbed



**Let's SAY**  
**To standard products**

**TIPS:**

Can stand the test of time, 1-3 years  
will not appear quality problems



**Let's SAY**  
**To substandard products**

**TIPS:**

Unqualified curtain will gradually produce oil  
quality problems after 6 months, which is  
cheating consumers. It affects our credit.



**THANK YOU FOR SUPPORTING OUR PRODUCTS**